

# Pneumatic Impact Wrench

## Pistol Type



### FEATURES:

- One Hand Forward/Reverse
- Push Button
- Composite Motor Housing
- Heavy Duty Motor
- Twin Hammer Mechanism
- Light Weight
- 360° Swivel Type Air Inlet

Model No.	Free Speed (RPM)	Anvil Size	Max. Torque Ft- lbs (Nm)	Working Torque Ft- lbs (Nm)	Length	Noise	Weight
MIWP 11000	11,000	3/8" (10mm)	300 (407)	25-250 (34-338)	153 mm	83 dB(A)	1.2 kgs
MIWP 27000	7,000	1/2" (13mm)	600 (813)	50-400 (68-542)	183 mm	83 dB(A)	1.9 kgs
MIWP 36000	5,500	3/4" (19mm)	1400 (1898)	200-1200 (271-1627)	215 mm	90 dB(A)	3.4 kgs
MIWP 46000	5,500	1" (25mm)	1400 (1898)	200-1200 (271-1627)	223 mm	90 dB(A)	3.5 kgs

Air Inlet: 1/4" NPT      Hose I.D.: (10mm)

Recommended Air Pressure PSI(Bar) : 90(6.2)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Drill Machine

## Pistol Type Reversible Drill Machine



### FEATURES:

- Composite Housing
- Keyless Chuck Standard
- Planetary Gear System
- Reversible Bar Twin sides
- Twin Speed Trigger System
- Low Vibration
- Light Weight

Model No.	Free Speed (RPM)	Chuck Size	Air Pressure	Length	Noise	Weight
MRD 31800	1,800	3/8" (10 mm)	90 PSI 6.2 Bar	185 mm	83 dB(A)	1.1 kgs
MRD 40800	800	1/2" (13 mm)	90 PSI 6.2 Bar	218 mm	83 dB(A)	1.3 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Random Orbital Sanders

## Palm Type

Non Vacuum  
Self Vacuum  
Central Vacuum

### FEATURES:

- 12,000 RPM
- Composite Housing
- Super Duty Motor
- Well Balanced Pad
- Low Vibration
- Light Weight
- Available in Orbit Dia  
2.5, 5, 8, 10 mm



## 5" Pad Diameter

Model No.	Speed (RPM)	Air Cons.	Spindle Thread	Air Pressure	Length	Noise	Weight
MOS 5120 Non Vac	12,000	14 CFM	5/16"-24 Female	90 PSI 6.2 Bar	145 mm	76 dB(A)	0.6 kgs
MOS 5120 S Self Vac	12,000	14 CFM	5/16"-24 Female	90 PSI 6.2 Bar	196 mm	84 dB(A)	0.7 kgs

## 6" Pad Diameter

MOS 6120 Non Vac	12,000	14 CFM	5/16"-24 Female	90 PSI 6.2 Bar	145 mm	76 dB(A)	0.6 kgs
MOS 6120 S Self Vac	12,000	14 CFM	5/16"-24 Female	90 PSI 6.2 Bar	196 mm	84 dB(A)	0.7 kgs

Air Inlet: 1/4" NPT      Hose I.D. : 10mm

Very Fine Sanding : 2.5 mm Orbit Dia  
General Sanding : 5 mm Orbit Dia  
Aggressive Sanding : 8 mm Orbit Dia  
Very Aggressive Sanding : 10 mm Orbit Dia

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Impact Wrench

## Pistol Type



### FEATURES:

- Reversible Bar on Both Sides
- Composite Motor
- Housing Heavy Duty Motor
- Soft Grip Handle
- Twin Hammer Mechanism
- Light Weight
- 360° Swivel Type Air Inlet

Model No.	Free Speed (RPM)	Anvil Size	Max. Torque Ft- lbs (Nm)	Working Torque Ft- lbs (Nm)	Length	Noise	Weight
MIWP 01200	12,000	1/4" (6mm)	75 (102)	25-70 (34-95)	168 mm	80 dB(A)	1.1 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

Recommended Air Pressure PSI(Bar) : 90(6.2)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Ratchet Wrenches

## FEATURES:

- Comfort Grip
- Needle Bearing
- Low Vibration
- Light Weight
- Rotating Air Inlet
- Rear Exhaust



Model No.	Free Speed (RPM)	Anvil Size	Working Torque ft - lb(Nm)	Max Torque ft -lb(Nm)	Air Pressure	Length	Noise	Weight
MRW 10200	200	3/8" (10 mm)	5 - 30 (7 - 41)	30 (41)	90 PSI 6.2 Bar	177 mm	79 dB(A)	0.6 kgs
MRW 10150	150	3/8" (10 mm)	10 - 50 (14 - 68)	50 (68)	90 PSI 6.2 Bar	256 mm	79 dB(A)	1.2 kgs
MRW 20150	150	1/2" (13 mm)	10 - 50 (14 - 68)	50 (68)	90 PSI 6.2 Bar	256 mm	79 dB(A)	1.2 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Die Grinders

## FEATURES:

- Comfort Grip
- Safety Throttle Lever
- Low Vibration
- Light Weight
- Rotating Air Inlet
- Rear Exhaust
- Top Air Regulator



Model No.	Free Speed (RPM)	Collet Size	Air Pressure	Length	Noise	Weight
MDG 02500	25,000	1/8" (3 mm)	90 PSI 6.2 Bar	156 mm	77 dB(A)	0.4 kgs
MDG 12500	25,000	1/4" (6 mm)	90 PSI 6.2 Bar	156 mm	77 dB(A)	0.4 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com



# Pneumatic Angle Die Grinders

## FEATURES:

- Comfort Grip
- 115° Angle
- Safety Throttle Lever
- Low Vibration
- Light Weight
- Rotating Air Inlet
- Rear Exhaust
- Top Air Regulator



Model No.	Free Speed (RPM)	Collet Size	Air Pressure	Length	Noise	Weight
MADG 0200	20,000	1/8" (3 mm)	90 PSI 6.2 Bar	201 mm	77 dB(A)	0.5 kgs
MADG 1200	20,000	1/4" (6 mm)	90 PSI 6.2 Bar	201 mm	77 dB(A)	0.5 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Extended Die Grinders

## FEATURES:

- Comfort Grip
- Safety Throttle Lever
- Low Vibration
- Light Weight
- Rotating Air Inlet
- Rear Exhaust
- Top Air Regulator



Model No.	Free Speed (RPM)	Collet Size	Air Pressure	Length	Noise	Weight
MEDG 0250	25,000	1/8" (3 mm)	90 PSI 6.2 Bar	251 mm	77 dB(A)	0.7 kgs
MEDG 1250	25,000	1/4" (6 mm)	90 PSI 6.2 Bar	251 mm	77 dB(A)	0.7 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com



# Pneumatic Disc Grinders

## FEATURES:

- Governor Controlled Motor
- Swivel Guard Adjustable in 9 Different Positions
- Comfort Grip
- Quick and Easy Disc Change
- Spindle Lock
- Rear Exhaust
- Side Handle



Model No.	Free Speed (RPM)	Spindle Thread	Air Consumption	Length	Noise	Weight
MDCG 41000	10,000	M10 x 1.5	22 CFM	238 mm	83 dB(A)	2.0 kgs
MDCG 41150	10,000	5/8"-11	22 CFM	238 mm	83 dB(A)	2.0 kgs
MDCG 51250	10,000	5/8"- 11	22 CFM	238 mm	83 dB(A)	2.0 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm      Air Pressure : 90 PSI(6.2 Bar)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Cut off Tool

## FEATURES:

- Super Duty Motor
- Rear Exhaust
- 0.85 Hp Motor
- Safety Throttle Lever



Model No.	Free Speed (RPM)	Disc Size	Air Consumption	Length	Noise	Weight
MCT 32000	20,000	3"	22 CFM	204 mm	85 dB(A)	0.9 kgs
Air Inlet: 1/4" NPT    Hose I.D.: 10mm    Air Pressure : 90 PSI(6.2 Bar)						

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Screwdrivers

## Cushion Clutch Type

### FEATURES:

- External Clutch Adjustment
- Forward Torque - Adjustable
- Reverse Torque - Full
- Comfort Grip
- Low Vibration
- Light Weight



## 1/4" Hex Screwdriver

Model No.	Speed (RPM)	Torque Ft.lbs(Nm)	Air Pressure	Length	Noise	Weight
MCSP 01800	1,800	2.5 - 6 (3.25 - 8)	90 PSI 6.2 Bar	196 mm	83 dB(A)	1.3 kgs
MCSS 01800	1,800	1.5 - 4 (2.25 - 5.75)	90 PSI 6.2 Bar	265 mm	85 dB(A)	1.2 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Screwdrivers

## Cushion Clutch Type

### FEATURES:

- External Clutch Adjustment
- Forward Torque - Adjustable
- Reverse Torque - Full
- Comfort Grip
- Low Vibration
- Light Weight



## 1/4" Hex Screwdriver

Model No.	Speed (RPM)	Torque Ft.lbs(Nm)	Air Pressure	Length	Noise	Weight
MCSP 01800	1,800	1.5 - 4 (2.5 - 6)	90 PSI 6.2 Bar	196 mm	83 dB(A)	1.2 kgs
MCSS 01800	1,800	1.5 - 4 (2.5 - 6)	90 PSI 6.2 Bar	254 mm	90 dB(A)	1.1 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Pneumatic Screwdrivers

## Impact Type

### FEATURES:

- Twin Dog Mechanism
- Super Duty Motor
- Side Exhaust
- Light Weight



## 1/4" Hex Screwdriver

Model No.	Speed (RPM)	Air Pressure	Torque ft - lb	Length	Noise	Weight
MISS 08500	8,500	90 PSI 6.2 Bar	52 (70)	202 mm	79 dB(A)	0.9 kgs
MISP 08500	8,500	90 PSI 6.2 Bar	52 (70)	192 mm	79 dB(A)	1.3 kgs

Air Inlet: 1/4" NPT      Hose I.D.: 10mm

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Orbital Sander

## Pistol Type

### FEATURES:

- Composite Motor Housing
- Comfort Grip
- Low Vibration
- Light Weight
- Handle Exhaust
- Orbit Dia 4 mm



Model No.	Speed (RPM)	Pad Size Inch(mm)	Spindle Thread	Length	Noise	Weight
MOS 21500	15,000	2"(50)	1/4"-20	108 mm	80 dB(A)	0.64 kgs
MOS 31500	15,000	3"(75)	1/4"-20	108 mm	80 dB(A)	0.64 kgs

Air Inlet: 1/4" NPT    Hose I.D.: 10mm    Air Pressure : 90 PSI(6.2 Bar)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com



# 3" - 5" Polisher

## Pistol Type

### FEATURES:

- Comfort Grip
- Heavy Duty Motor
- Optimum performance for Automotive and Industrial Applications
- Low Vibration
- Light Weight
- Rear Exhaust



Model No.	Speed (RPM)	Pad Size Inch(mm)	Spindle Thread	Length	Noise	Weight
MBR 35320	3,200	3"(75)	5/16"-24	160 mm	77 dB(A)	0.88 kgs
MBR 53320	3,200	5"(125)	5/16"-24	160 mm	77 dB(A)	0.90 kgs

Air Inlet: 1/4" NPT    Hose I.D.: 10mm    Air Pressure : 90 PSI(6.2 Bar)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,  
Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com

# Impact Angle Head Wrench

## FEATURES:

- Twin Hammer
- Super Duty Motor
- Easy Approach in space constraint assembly areas



Model No.	Bolt Size Capacity (mm)	Working Torque (Nm) (ft-lb)		Max Torque (Nm) (ft-lb)		Free Speed RPM	Air Consumption l/min cfm		Overall Length mm inch		Air Inlet	Net Weight kg lb		Sound Level dB(A)
MAHW -17000	M10	60	44	130	96	7000	198	7	240	9.65	1/4	1.62	3.57	92
MAHW -18500	M10	50	37	90	66	8500	240	8.5	265	10.43	1/4	1.58	3.48	90

Air Inlet: 1/4" NPT      Hose I.D.: 10mm      Air Pressure : 90 PSI(6.2 Bar)

## MALAX PNEUMATIC TOOLS PVT. LTD.

(Manufacturers, Exporters, Importers & Distributors)

Regd. & H.O. : A-2/111, Site- 5, U.P.S.I.D.C. Industrial Area,

Greater Noida - 201306, Distt. G.B. Nagar(U.P.)

Phone No. : +91-120-2340456, +91-98101 13545, +91- 98183 33450

Email : malax@vsnl.com

Website : www.malaxindia.com